

## Section 1. Identification

**GHS Product Identifier** : PaveSaver - Part B

**Article number** : 87-140409B

**Relevant Identified Uses of the Substance or Mixture and Uses Advised Against** : No further relevant information available.

**Supplier** : The D.S. Brown Company  
300 East Cherry Street  
North Baltimore, Ohio 45872  
419-257-3561

**In Case of Emergency** : Chemtrec 1-800-424-9300 International 01-703-741-5500

## Section 2. Hazards Identification

<b>Classification of the</b>	Acute Tox.	4	H302	Harmful if swallowed.
	Skin Corr.	1B	H314	Causes severe skin burns and eye damage.
	Eye Dam.	1	H318	Causes serious eye damage.
	Skin Sens.	1	H317	May cause an allergic skin reaction.
	Repr.	2	H361	Suspected of damaging fertility or the unborn child.
	Aquatic Acute	1	H400	Very toxic to aquatic life.
Aquatic Chronic	1	H410	Very toxic to aquatic life with long lasting effects.	

### LABEL ELEMENTS

**GHS Label Elements** : The product is classified and labeled according to the Globally Harmonized System (GHS).

**Pictograms**



**Signal Word**

: **Danger**

**Hazard Determining Components of Labeling**

: 4-nonylphenol, branched  
3,6-diazaoctanethylenediamin  
2,4,6-tris(dimethylaminomethyl)phenol  
cyclohex-1,2-ylenediamine

**Hazard Statements**

: Harmful if swallowed.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
Suspected of damaging fertility or the unborn child.

## Section 2. Hazards Identification *cont'd.*

### GHS Label Elements *cont'd.*

**Precautionary Statements** : Do not breathe dusts or mists.  
**If on skin (or hair):** Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
**If in eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
**Immediately call a poison center/doctor.**  
 Store locked up.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Classification System

**NFPA Ratings (scale 0-4)** : Health: 3  
 Fire: 1  
 Reactivity: 2

**HMIS-Ratings (scale 0-4)** : Health: 3  
 Fire: 1  
 Reactivity: 2

### Other Hazards

**Results of PBT and vPvB Assessment** : **PBT:** Not applicable.  
**vPvB:** Not applicable.

## Section 3. Composition/Information on Ingredients

**Description** : Mixture of the substances listed below with nonhazardous additions.

### Dangerous Components

Ingredient Name	CAS No.	%
4-nonylphenol, branched	84852-15-3	50-75%
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2	≤10%
3,6-diazaoctanethylenediamin	112-24-3	≤10%
cyclohex-1,2-ylenediamine	694-83-7	≤2.5%

**Additional Information** : For the wording of the listed risk phrases refer to Section 16.

## Section 4. First Aid Measures

- General Information** : Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After Inhalation** : Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.
- After Skin Contact** : If skin irritation continues, consult a doctor.
- After Eye Contact** : Rinse opened eye for several minutes under running water. Then consult a doctor.
- After Swallowing** : **Immediately call a doctor.** Drink copious amounts of water and provide fresh air. Immediately call a doctor. Seek medical treatment.

### INFORMATION FOR DOCTOR

- Most Important Symptoms/ Effects, Both Acute and Delayed** : No further relevant information available.
- Indication of Any Immediate Medical Attention and Special Treatment Needed** : No further relevant information available.

## Section 5. Fire-Fighting Measures

- Suitable Extinguishing Media** : CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Specific Hazards Arising from the Substance or Mixture** : No further relevant information available.

### ADVICE FOR FIREFIGHTERS

- Protective Equipment** : Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

## Section 6. Accidental Release Measures

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

- For Non-Emergency Personnel** : Wear protective equipment. Keep unprotected persons away.
- Environmental Precautions** : Inform respective authorities in case of seepage into water course or sewage system.

## Section 6. Accidental Release Measures *cont'd.*

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

- Methods and Materials for Containment and Cleaning Up** : Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- Reference to Other Sections** : See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## Section 7. Handling and Storage

### HANDLING

- Precautions for Safe Handling** : Wear appropriate personal protective clothing to prevent eye and skin contact.  
Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.
- Information About Protection Against Explosions and Fires** : No special measures required.

### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

- Storage Requirements to Be Met by Storerooms and Receptacles** : No special requirements.
- Information About Storage in One Common Storage Facility** : Store away from incompatible materials.
- Further Information About Storage Conditions** : Keep receptacle tightly sealed.
- Specific End Use(s)** : No further relevant information available.

## Section 8. Exposure Controls/Personal Protection

- Additional Information About Design of Technical Systems** : No further data; see item 7.

## Section 8. Exposure Controls/Personal Protection *cont'd.*

### CONTROL PARAMETERS

<b>Components with Limit Values that Require Monitoring at the Workplace</b>	: 112-24-3 3,6-diazaoctanethylenediamin WEEL Long-term value: 6 mg/m <sup>3</sup> , 1 ppm Skin
<b>Additional Information</b>	: The lists that were valid during the creation were used as basis.

### EXPOSURE CONTROLS

#### Personal Protective Equipment

<b>General Protective and Hygienic Measures</b>	: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
<b>Breathing Equipment</b>	: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
<b>Protection of Hands</b>	: Protective gloves. The glove material has to be impermeable and resistant to the product, the substance, and the preparation.
<b>Eye Protection</b>	: Wear appropriate eye protection to prevent eye contact.



## Section 9. Physical and Chemical Properties

<b>Appearance</b>	
<b>Form</b>	: Liquid
<b>Color</b>	: Amber
<b>Odor</b>	: Characteristic
<b>Odor Threshold</b>	: Not determined.
<b>pH Value</b>	: Not determined.
<b>Boiling/Condensation Point</b>	: Undetermined
<b>Melting/Freezing Point</b>	: Undetermined
<b>Flash Point</b>	: > 94°C (> 201°F)
<b>Flammability (Solid, Gas)</b>	: Not available.
<b>Ignition Temperature</b>	: 335°C (635°F)
<b>Decomposition Temperature</b>	: Not determined.
<b>Auto Igniting</b>	: Product is not self-igniting.

## Section 9. Physical and Chemical Properties *cont'd.*

<b>Danger of Explosion</b>	: Product does not present an explosion hazard.
<b>Explosion limits</b>	
<b>Lower</b>	: 1.3 Vol %
<b>Upper</b>	: 13.0 Vol %
<b>Vapor Pressure at 20°C (68°F)</b>	: 0.1 hPa
<b>Density at 20°C (68°F)</b>	: 0.97 g/cm <sup>3</sup> (8.095 lbs/gal)
<b>Relative Density</b>	: Not determined.
<b>Vapor Density</b>	: Not determined.
<b>Evaporation Rate</b>	: Not determined.
<b>Solubility in/Miscibility with Water</b>	: Not miscible or difficult to mix.
<b>Partition Coefficient (n-Octanol/Water)</b>	: Not determined.
<b>Viscosity</b>	
<b>Dynamic</b>	: Not determined.
<b>Kinematic</b>	: Not determined.
<b>Solvent Content</b>	
<b>Organic Solvents</b>	: 12.0 %
<b>Solids Content</b>	: 100.0%
<b>Other Information</b>	: No further relevant information available.
<b>Volatile Organic Compounds</b>	: Not determined.

## Section 10. Stability and Reactivity

<b>Reactivity</b>	: N/A
<b>Chemical Stability</b>	: N/A
<b>Thermal Decomposition/ Conditions to Be Avoided</b>	: No decomposition if used according to specifications.
<b>Possibility of Hazardous Reactions</b>	: No dangerous reactions known.
<b>Conditions to Avoid</b>	: No further relevant information available.
<b>Incompatible Materials</b>	: No further relevant information available.
<b>Hazardous Decomposition Products</b>	: No dangerous decomposition products known.

## Section 11. Toxicological Information

<b>Acute Toxicity</b>	: LD/LC50 values that are relevant for classification
	<b>112-24-3 3,6-diazaoctanethylenediamin</b>
	Oral LD50 2500 mg/kg (rat)
	Dermal LD50 805 mg/kg (rabbit)
<b>Primary Irritant Effect</b>	
<b>On the Skin</b>	: Caustic effect on skin and mucous membranes.
<b>On the Eye</b>	: Strong caustic effect.
<b>Sensitization</b>	: Sensitization possible through skin contact.
<b>Additional Toxicological Information</b>	: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Corrosive Irritant Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### CARCINOGENIC CATEGORIES

<b>IARC</b>	: 105-60-2	1,6-hexanolactam	4
	71-43-2	benzene	1
<b>NTP</b>	: 71-43-2	benzene	K
<b>OHSA-Ca</b>	: 71-43-2	benzene	

## Section 12. Ecological Information

### TOXICITY

<b>Aquatic Toxicity</b>	: No further relevant information available.
<b>Persistence and Degradability</b>	: No further relevant information available.

### BEHAVIOR IN ENVIRONMENTAL SYSTEMS

<b>Bioaccumulative Potential</b>	: No further relevant information available.
<b>Mobility in Soil</b>	: No further relevant information available.

### ECOTOXICAL EFFECTS

<b>Remark</b>	: Very toxic for fish.
<b>General Notes</b>	: Water hazard class 3 (Self-assessment): extremely hazardous for water. Do not allow product to reach ground water, water course or sewage system, even in small quantities. Water hazard class 1 (Self-assessment): slightly hazardous for water. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms.

## Section 12. Ecological Information *cont'd.*

### ECOTOXICAL EFFECTS *cont'd.*

<b>Results of PBT and vPvB Assessment</b>	<b>PBT:</b>	Not applicable.
	<b>vPvB:</b>	Not applicable.
<b>Other Adverse Effects</b>	:	No further relevant information available.

## Section 13. Disposal Considerations

### WASTE TREATMENT METHODS

<b>Recommendation</b>	:	Must not be disposed of as normal garbage. Do not allow product to reach sewage system. It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.
-----------------------	---	--




### UNCLEANED PACKAGINGS

<b>Recommendation</b>	:	Disposal must be made according to federal, state and local regulations.
-----------------------	---	--

## Section 14. Transport Information

<b>UN-Number</b>	:	UN1760
<b>DOT, ADR, IMDG IATA</b>	:	UN1760
<b>UN Proper Shipping Name</b>	:	Corrosive liquids, n.o.s. (4-nonylphenol, branched, Triethylenetetramine)
<b>DOT</b>	:	Corrosive liquids, n.o.s. (4-nonylphenol, branched, Triethylenetetramine)
<b>ADR</b>	:	1760 Corrosive liquids, n.o.s. (4-nonylphenol, branched, Triethylenetetramine), Environmentally hazardous
<b>IMDG</b>	:	Corrosive liquid, n.o.s. (4-nonylphenol, branched, Triethylenetetramine), Marine pollutant
<b>IATA</b>	:	Corrosive liquid, n.o.s. (4-nonylphenol, branched, Triethylenetetramine)


### TRANSPORT HAZARD CLASS(ES)

<b>DOT</b>	:		Class: 8 Corrosive substances. Label: 8
<b>ADR, IMDG</b>	:	 	Class: 8 Corrosive substances. Label: 8



## Section 14. Transport Information *cont'd.*


### TRANSPORT HAZARD CLASS(ES) *cont'd.*


**IATA** :   
 Class: 8 Corrosive substances.  
 Label: 8

### PACKING GROUP

**DOT, ADR, IMDG, IATA** : III

**Environmental Hazards** : Product contains environmentally hazardous substances: 4- nonylphenol, branched

**Marine Pollutant** : Yes 

**Special Marking (ADR)** : 

**Special Precautions for User** : **Warning:** Corrosive substances  
**Danger Code (Kemler)** : 80  
**EMS Number** : F-A, S-B

**Segregation Groups** : Not applicable.

**Transport in Bulk**  
**According to Annex II**  
**of MARPOL73/78 and**  
**the IBC Code**

### TRANSPORT/ADDITIONAL INFORMATION

**DOT** : Remarks: Add "Marine Pollutant" to end of proper shipping name if shipping in a bulk container (>119 gallons).

#### ADR

Excepted quantities : Code E2  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml

U.S. Domestic Ground Shipments : Same as listed for Standard Shipments above.

U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments : Same as listed for Standard Shipments above.

Emergency Response Guide (ERG) Number : Not determined.

#### IMDG

Limited quantities (LQ) : 1L  
 Excepted quantities (EQ) : Code E1  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml


**UN "Model Regulation"** : UN1760, Corrosive liquids, n.o.s. (4-nonylphenol, branched, Triethylenetetramine), environmentally hazardous, 8, III

## Section 15. Regulatory Information

### SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT

<b>SARA 355 (Extremely Hazardous Substances)</b>	:	7664-41-7	ammonia, anhydrous	
<b>SARA 313 (Specific Toxic Chemical Listings)</b>	:	This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.		
		7664-41-7	ammonia, anhydrous	≤0.1%
		71-43-2	benzene	≤0.01%
<b>TSCA (Toxic Substances Control Act)</b>	:	All ingredients are listed.		
<b>Proposition 65</b>	:	Chemicals known to the State of California (Prop. 65) to cause cancer:		
		71-43-2	benzene	
		Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.		
		Chemicals known to cause reproductive toxicity for males:		
		71-43-2	benzene	
		Chemicals known to cause developmental toxicity:		
		71-43-2	benzene	

### CANCEROGENITY CATEGORIES

<b>EPA (Environmental Protection Agency)</b>	:	71-43-2	benzene	A, K/L
<b>TLV (Threshold Limit Value established by ACGIH)</b>	:	105-60-2	1,6-hexanolactam	A5
		71-43-2	benzene	A1
<b>MAK (German Maximum Workplace Concentration)</b>	:	71-43-2	benzene	1
<b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>	:	71-43-2	benzene	
<b>GHS label elements</b>	:	The substance is classified and labeled according to the Globally Harmonized System (GHS).		
<b>Hazard Pictograms</b>	:			
<b>Signal Word</b>	:	<b>Danger</b>		

## Section 15. Regulatory Information *cont'd.*

### SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT *cont'd.*

<b>Hazard-Determining Components of Labeling</b>	: 4-nonylphenol, branched 3,6-diazaoctanethylenediamin 2,4,6-tris(dimethylaminomethyl)phenol cyclohex-1,2-ylenediamine
<b>Hazard Statements</b>	: Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.
<b>Precautionary Statements</b>	: Do not breathe dusts or mists. <b>If on skin (or hair):</b> Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. <b>If in eyes:</b> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

### NATIONAL REGULATIONS

<b>Water Hazard Class</b>	: Water hazard class 3 (Self-assessment): extremely hazardous for water.
<b>Chemical Safety Assessment</b>	: A chemical safety assessment has not been carried out.

## Section 16. Other Information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**Date of Printing / Last** : 11/12/2015, v 108

### Revision

**Abbreviations and Acronyms** : ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)

**Section 16. Other Information** *cont'd.*

**Abbreviations and Acronyms** : LC50: Lethal concentration, 50 percent  
*cont'd.*

- LD50: Lethal dose, 50 percent
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
- Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
- Skin Sens. 1: Sensitization - Skin, Hazard Category 1
- Repr. 2: Reproductive toxicity, Hazard Category 2
- Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1